



**UTTAR PRADESH POLLUTION CONTROL BOARD**  
**Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010**

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

**Validity Period :13/01/2022 To 12/01/2026**

**Ref No. - 145889/UPPCB/Bareilly(UPPCBRO)/CTE/BAREILLY/2022 Dated:- 14/01/2022**

To ,

Shri SWAPNILA PRASAD  
M/s DEVALK NETRALAYA  
PLOT NO. 1, KHASRA NO. 243, DOHRA ROAD, OPP. RUDRAKSHA APARTMENT,  
BAREILLY,BAREILLY,243006  
BAREILLY

**Sub : Consent to Establish for New Unit/Expansion/Diversification under the provisions of Water (Prevention and control of pollution) Act, 1974 as amended and Air (Prevention and control of Pollution) Act, 1981 as amended.**

Please refer to your Application Form No.- 14542925 dated - 04/01/2022. After examining the application with respect to pollution angle, Consent to Establish (CTE) is granted subject to the compliance of following conditions :

1. Consent to Establish is being issued for following specific details :

A- Site along with geo-coordinates : 28.375259 & 79.460855

B- Main Raw Material :

Main Raw Material Details		
Name of Raw Material	Raw Material Unit Name	Raw Material Quantity
EYE HOSPITAL (10 BEDS)	Metric Tonnes/Day	.

C- Product with capacity :

Product Detail	
Name of Product	Product Quantity
EYE HOSPITAL (10 BEDS)	.

D- By-Product if any with capacity :

By Product Detail			
Name of By Product	Unit Name	Licence Product Capacity	Install Product Capacity
NA	Metric Tonnes/Day	.	.

2. Water Requirement (in KLD) and its Source :

Source of Water Details		
Source Type	Name of Source	Quantity (KL/D)
Ground Water (within premises)	Tube Well	3.0

3. Quantity of effluent (In KLD) :

<b>Effluent Details</b>	
<b>Source Consumption</b>	<b>Quantity (KL/D)</b>
Domestic	1.0
Process	3.0

4. Fuel used in the equipment/machinery Name and Quantity (per day) :

<b>Fuel Consumption Details</b>		
<b>Fuel</b>	<b>Consumption(tpd/kld)</b>	<b>Use</b>
Diesel	0.025	25 K.V.A. D.G. SET

5. For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

For any change in above mentioned parameters, it will be mandatory to obtain Consent to Establish again. No further expansion or modification in the plant shall be carried out without prior approval of U.P. Pollution Control Board.

2. You are directed to furnish the progress of Establishment of plant and machinery, green belt, Effluent Treatment Plant and Air pollution control devices, by 10th day of completion of subsequent quarter in the Board.
3. Copy of the work order/purchase order, regarding instruction and supply of proposed Effluent Treatment Plant/Sewerage Treatment Plant /Air Pollution control System shall be submitted by the industry till 12/01/2026 to the Board.
4. Industry will not start its operation, unless CTO is obtained under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and control of Pollution) Act, 1981 from the Board.
5. It is mandatory to submit Air and Water consent Application, complete in all respect, four months before start of operation, to the U.P. Pollution Control Board.
6. Legal action under water (Prevention and control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 may be initiated against the industry With out any prior information, in case of non compliance of above conditions.

**Specific Conditions:**

- 1- This CTE is valid for Site of the proposed organization M/s DEVALK NETRALAYA, PLOT NO. 1, KHASRA NO. 243, DOHRA ROAD, OPP. RUDRAKSHA APARTMENT, BAREILLY is proposed for installation.
- 2- This CTE is valid for production capacity of MEDICAL SERVICE HOSPITAL 10 BEDS
- 3- The unit shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended.
- 4- Generated Bio medical waste shall be collected, segregated and disposed according to Rule 4 and 8 of Bio- Medical Waste Management Rules, 2016 as amended. Solid waste generated shall be disposed according to Solid Waste Management Rules 2016.
- 5- Construction and Demolition waste during establishment shall be disposed as per Construction and Demolition Waste Management Rules 2016.
- 6- Total Industrial effluent and sewage discharge of the unit should not be more than 05 KL/D and for treatment of Industrial discharge industry should installed adequate Capacity of ETP and for treatment of domestic/ Sewage waste unit should Septic Tank (for Sewage) followed by effluent treatment Plant and treated water will used/ recycled for green belt and Toilet fleshing etc. inside the Premises
- 7- Unit should obtain valid land use from Bareilly development Authority, Bareilly Consent to Establish in only valid with proper land use.
- 8- Unit should Project must be obtaining approval on map from competent Bareilly development Authority, Bareilly and approved map submit to within 3 month to this office.
- 9- Unit shall obtain No Objection Certificate from State Ground Water Authority Lucknow /DGWMA, BAREILLY before extraction of ground water.
- 10- Unit should installed DG sets of 25 KVA along with Acoustic Enclosure with 0.5 meter Stack Height form the nearest roof level.
- 11- Treated effluent shall be maximum used in irrigation on land of the hospital; no untreated effluent shall be discharged inside/outside the premises.
- 12- Unit shall make agreement from TSDF for the disposal of STP sludge and other Waste as per the provisions of Hazardous and Other Waste (Management and Tran boundary Movement) Rules 2016.
- 13- Unit shall comply with the provisions of Water (Prevention and Control of Pollution) Act 1974 as amended, Air (Prevention and Control of Pollution) Act 1981 amended and Environment (Protection) Act 1986, and direction issued by CPCB and Hon'ble National Green Tribunal, New Delhi and Hon'ble Courts.
- 14- Unit shall maintain records of Bio Medical Waste generated and disposed according to the provisions of Bio- Medical Waste Management Rules, 2016 as amended.
- 15- Take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
- 16- Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I of Bio- Medical Waste Management Rules 2016 as amended , to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in Bio-Medical Waste Management Rules 2016 as amended to the common bio-medical waste treatment facility .
- 17- Unit shall make an agreement with common bio-medical waste treatment facility for the disposal of biomedical waste generated.
- 18- Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDs Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.
- 19- Use of chlorinated plastic bags, gloves and blood bags is not allowed. Not to give bio-medical waste with municipal solid waste.
- 20- Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmers conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.
- 21- Immunize all its health care workers and others involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time.
- 22- Establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose.
- 23- Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other effluent generated from health care facilities. Ensure treatment and

disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 as amended.

24- Ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipment.

25- Conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same.

26- Maintained and updated on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and color coding as specified in Schedule I of Bio-Medical Waste Management Rules 2016 as amended.

27- Report major accidents including accidents caused by fire hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report.

Please note that consent to Establish will be revoked, in case of, non compliance of any of the above mentioned conditions. Board reserves its right for amendment or cancellation of any of the conditions specified above. Industry is directed to submit its first compliance report regarding above mentioned specific and general conditions till 14/02/2022 in this office. Ensure to submit the regular compliance report otherwise this Consent to Establish will be revoked.

**REGIONAL OFFICER  
U.P.P.C.B. BAREILLY**

Dated:- 14/01/2022

**Copy To -**

CHIEF ENVIRONMENT OFFICER, (CIRCLE-7), U.P. POLLUTION CONTROL BOARD, LUCKNOW  
FOR KIND INFORMATION.

**REGIONAL OFFICER  
U.P.P.C.B. BAREILLY**